

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

LISTING No. 5275-1530:100 Page 1 of 1

CATEGORY: Gas/Vapor Detectors

LISTEE: Electro Systems Inc., 415 Dunedin St., Unit 8, Victoria, B.C, Canada V8T 5G8  
Contact: Mike McSorley (250) 385-0911

DESIGN: Model GS/3 single station propane gas detectors for recreational vehicle. Unit is intended to detect propane gas leak and to sound an alarm before the concentration of the gas reaches 25% of the LEL (Lower Explosive Limit) of the gas. Refer to listee's data sheet for additional detailed product description and operational considerations.

RATING: 12 VDC (hard wired battery of the recreational vehicle)

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number, electrical rating and UL label.

APPROVAL: Listed as propane gas detector suitable for recreational vehicle. Not suitable for installation in hazardous areas.

NOTE: Not a substitute for any smoke or fire detector.

04-28-99



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

**JUNE 6, 2002**

*Listing Expires **June 30, 2003***

Authorized By:

**DIANE K. AREND**, Senior Deputy  
Program Manager